ELSEVIER

1 August 1994

PHYSICS LETTERS A

Physics Letters A 190 (1994) 497–503

Author index to volume 190

Adler, V.E., Nonlinear superposition principle for the Jordan NLS equation 190 (1994) 53
Alexe Ionescu, A.L., R. Barberi, G. Barbero and M. Giocondo, Surface elastic properties of nematic liquid crystals 190 (1994) 109
Aliaga, J., see Gruver, J.L. 190 (1994) 363
Álvarez, G., see Guil, F. 190 (1994) 49

Barberi, R., see Alexe Ionescu, A.L. 190 (1994) 109
Barbero, G., see Alexe Ionescu, A.L. 190 (1994) 109
Basler, M., W. Krech and K.Yu. Platov, Phase-locking in strongly coupled SQUID cells 190 (1994) 489
Beckmann, P.E., see Fell, J. 190 (1994) 172
Ben-Jacob, E., see Weinstein, V. 190 (1994) 473
Bennett, L.H., see Seyoum, H.M. 190 (1994) 483
Bhawal, B., see Chickarmane, V. 190 (1994) 22
Bianucci, M., B.J. West and P. Grigolini, Probing microscopic chaotic dynamics by observing macroscopic transport processes 190 (1994) 447
Bikbaev, R.F. and V.R. Kudashev, Example of shock waves in unstable media: the focusing nonlinear Schrödinger equation 190 (1994) 255
Boldyrev, S.A. and V.N. Tsytovich, On decay acoustic turbulence 190 (1994) 106
Boozer, A.D., see Tang, X.Z. 190 (1994) 393
Breeden, J.L., Open-loop control of nonlinear systems 190 (1994) 264
Brown, R., see Tang, X.Z. 190 (1994) 393
Bugajski, S., Topologies on pure quantum states 190 (1994) 5
Buivydas, M., see Gouda, F. 190 (1994) 345
Bullough, R.K., see Jiang, Z. 190 (1994) 249
Bussac, M.N., R.B. White and L. Zuppiroli, Particle and heat transport in a partially stochastic magnetic field 190 (1994) 101

Carlsson, T., see Gouda, F. 190 (1994) 345
Casati, G., R. Graham, I. Guarneri and F.M. Izrailev, Tunneling between localized states in classically chaotic systems 190 (1994) 159
Cattaneo, A.S., A. Gamba, I.V. Kolokolov and M. Martellini, 1D-disordered conductor with loops immersed in a magnetic field 190 (1994) 206
Cerdeira, H.A., see Gruver, J.L. 190 (1994) 363
Cerveró, J.M., see Güémez, J. 190 (1994) 434
Chandra Shekara Bhat, C., see Ramamohan, T.R. 190 (1994) 273
Chickarmane, V. and B. Bhawal, Squeezing and dual recycling in laser interferometric gravitational wave detectors 190 (1994) 22

Cruzeiro-Hansson, L. and V.M. Kenkre, Localized versus delocalized ground states of the semiclassical Holstein Hamiltonian 190 (1994) 59

Daboul, J. and M.M. Nieto, Quantum bound states with zero binding energy 190 (1994) 357
DeBrauw, A., see Tang, X.Z. 190 (1994) 393
Dimovski, D., see Kocarev, L. 190 (1994) 399
Dolgov, O.V. and V.V. Losyakov, Renormalization factor and odd-ω gap singlet superconductivity 190 (1994) 189
Duan, J.-M. and E. Šimánek, Inertial mass of a fluxon in superconductors due to the strain field 190 (1994) 118
Dyachenko, A.I. and V.E. Zakharov, Is free-surface hydrodynamics an integrable system? 190 (1994) 144

Elsässer, K., see Popel, S.I. 190 (1994) 460
Essler, F.H.L., see Korepin, V.E. 190 (1994) 182

Falkovsky, L.A. and S. Klama, Energy spectrum of edge states of a quantum dot in an external magnetic field 190 (1994) 341
Fell, J. and P.E. Beckmann, Resonance-like phenomena in Lyapunov calculations from data reconstructed by the time-delay method 190 (1994) 172
Flytzanis, N., see Neuper, A. 190 (1994) 165
Fonarev, O.A., Quantum kinetic equations and cosmology 190 (1994) 29
Fromherz, P. and A. Zeiler, Dissipative condensation of ion channels described by a Langevin–Kelvin equation 190 (1994) 33
Fu, D., see Wang, W. 190 (1994) 377

Gabovich, A.M. and A.I. Voitenko, Temperature-dependent inelastic electron scattering and superconducting state properties 190 (1994) 191
Gabriel, H., see Hennig, D. 190 (1994) 259
Gaeta, G., A realistic version of the Y model for DNA dynamics and selection of soliton speed 190 (1994) 301
Gaididei, Y., see Neuper, A. 190 (1994) 165
Galenko, P., Local-nonequilibrium phase transition model with relaxation of the diffusion flux 190 (1994) 292
Gamba, A., see Cattaneo, A.S. 190 (1994) 206
Gillespie, A. and F. Raab, Suspension losses in the pendula of laser interferometer gravitational-wave detectors 190 (1994) 213
Giocondo, M., see Alexe Ionescu, A.L. 190 (1994) 109
Glikman, E., see Weinstein, V. 190 (1994) 473
Gonella, F., Quantum eraser and two-slit interference 190 (1994) 126
Goswami, B.K., Analytical studies on the period doubling bifurcations from the harmonic solutions of the parameter modulated single mode two-level laser 190 (1994) 279
Goswami, K.S., see Sah, O.P. 190 (1994) 317
Gouda, F., M. Buivydas, T. Carlsson, S.T. Lagerwall and B. Stebler, Frequency dependence of the dielectric biaxiality in the chiral smectic C* phase and the observation of a compound with negative dielectric biaxiality 190 (1994) 345
Graham, R., see Casati, G. 190 (1994) 159
Grammaticos, B., A. Ramani and J. Hietarinta, Multilinear operators: the natural extension of Hirota's bilinear formalism 190 (1994) 65

Grigolini, P., see Bianucci, M. 190 (1994) 447
Gruver, J.L., J. Aliaga, H.A. Cerdeira and A.N. Proto, Nontrivial dynamics induced by a nonlinear Jaynes–Cummings Hamiltonian 190 (1994) 363
Guarneri, I., see Casati, G. 190 (1994) 159
Güémez, J., J.M. Gutiérrez, A. Iglesias and M.A. Matías, Stabilization of periodic and quasiperiodic motion in chaotic systems through changes in the system variables 190 (1994) 429
Güémez, J., J.M. Cerveró and S. Velasco, The wind–round-tree model and the two-dimensional Lorentz gas 190 (1994) 434
Guil, F., M. Mañas and G. Álvarez, The Hopf–Cole transformation and the KP equation 190 (1994) 49
Guo, A.Q., see Meng, H.X. 190 (1994) 455
Gürel, B., M. Gürses and I. Habibullin, Boundary value problems compatible with symmetries 190 (1994) 231
Gürses, M., see Gürel, B. 190 (1994) 231
Gutiérrez, J.M., see Güémez, J. 190 (1994) 429

Habibullin, I., see Gürel, B. 190 (1994) 231
Hamza, A.M., A kinetic derivation of a generalized Zakharov–Kuznetsov equation for ion acoustic turbulence in a magnetized plasma 190 (1994) 309
He, K. and G. Hu, Reconnection of complex eigenvalues of resonance modes and onset of the Hopf bifurcation 190 (1994) 38
Hennig, D., G.P. Tsironis, M.I. Molina and H. Gabriel, A nonlinear quasiperiodic Kronig–Penney model 190 (1994) 259
Hietarinta, J., see Grammaticos, B. 190 (1994) 65
Holladay, W., Reply to "Quantum eraser and two-slit interference" 190 (1994) 128
Holmes, C.A., Theory of chaos and control in a nonlinear optical system 190 (1994) 382
Home, D., Position and contextuality in Bohm's causal completion of quantum mechanics 190 (1994) 353
Hu, C., see Yu, Z. 190 (1994) 185
Hu, G., see He, K. 190 (1994) 38

Iglesias, A., see Güémez, J. 190 (1994) 429
Iguchi, K., Trace map for an N-ternary Fibonacci lattice 190 (1994) 243
Izergin, A.G., see Korepin, V.E. 190 (1994) 182
Izrailev, F.M., see Casati, G. 190 (1994) 159

Jiang, Z. and R.K. Bullough, Integrability and a new breed of solitons of an NLS type equation in 2+1 dimensions 190 (1994) 249
Joarder, R.N., see Karmakar, A.K. 190 (1994) 480

Kadena, Y. and J. Mori, An effective Monte Carlo simulation on classical spin systems 190 (1994) 323
Karassiov, V.P., Polarization squeezing and new states of light in quantum optics 190 (1994) 387
Karmakar, A.K. and R.N. Joarder, Effective intermolecular potential energy function. Hydrogen-bonded structure of water 190 (1994) 480
Kawamoto, H., Single-valued wave function of the Aharonov–Bohm problem 190 (1994) 9
Kawanishi, K., S. Mori and M. Wadati, Crumpling transition of self-avoiding tethered membranes caused by screening 190 (1994) 439
Kelson, I., see Weinstein, V. 190 (1994) 473
Kenkre, V.M., see Cruzeiro-Hansson, L. 190 (1994) 59
Kent Harrison, B., see Papachristou, C.J. 190 (1994) 407

Kitamura, T. and S. Takeno, A quantum field theory of resonant modes in 3-d nonlinear lattices at finite temperatures 190 (1994) 327
Klama, S., see Falkovsky, L.A. 190 (1994) 341
Kleinert, H., Higher-order variational approach to non-Borel systems. The energies of the double-well potential 190 (1994) 131
Kobayashi, T., see Zhu, K.-D. 190 (1994) 337
Kocarev, L., Z. Tasev and D. Dimovski, Topological description of a chaotic attractor with spiral structure 190 (1994) 399
Kolokolov, I.V., see Cattaneo, A.S. 190 (1994) 206
Kondratyev, V.N., Strong valence electron excitations due to internal conversion or K-capture 190 (1994) 465
Kong, D. and W. Zhang, New explicit exact solitary wave solutions for a new Hamiltonian amplitude equation 190 (1994) 155
Korepin, V.E., A.G. Izergin, F.H.L. Essler and D.B. Uglov, Correlation function of the spin-$\frac{1}{2}$ antiferromagnet 190 (1994) 182
Korepin, V.E., see Uglov, D.B. 190 (1994) 238
Krech, W., see Basler, M. 190 (1994) 489
Krotscheck, E., Consistency considerations for a pair density functional theory 190 (1994) 201
Krzysztoń, T., Flux penetration in an antiferromagnetic layered superconductor 190 (1994) 196
Kudashev, V.R., see Bikbaev, R.F. 190 (1994) 255
Kundu, A., Generation of a quantum integrable class of discrete-time or relativistic periodic Toda chains 190 (1994) 79

Lagerwall, S.T., see Gouda, F. 190 (1994) 345
Li, H., Wigner function and the parity operator 190 (1994) 370
Li, H.-Z., see Zhou, Y.-C. 190 (1994) 123
Lima, A.S., I.C. Moreira and A.M. Serra, Transition between the tent map and the Bernoulli shift 190 (1994) 403
Lipowski, A., Step energy in the ground-state roughening transition 190 (1994) 285
Losyakov, V.V., see Dolgov, O.V. 190 (1994) 189

MacKay, R.S., A.A. Pinto and J.B.J. van Zeijts, Coordinate change eigenvalues for bimodal period doubling renormalisation 190 (1994) 412
MacKay, R.S., J.D. Meiss and J. Stark, An approximate renormalization for the break-up of invariant tori with three frequencies 190 (1994) 417
Mañas, M., see Guil, F. 190 (1994) 49
Martellini, M., see Cattaneo, A.S. 190 (1994) 206
Matías, M.A., see Güémez, J. 190 (1994) 429
Meiss, J.D., see MacKay, R.S. 190 (1994) 417
Meng, H.X., A.Q. Guo and C.Z. Xing, Dependence of phase dynamics of light interacting with two-level atoms on the initial state of atoms 190 (1994) 455
Mertens, F., see Neuper, A. 190 (1994) 165
Milgrom, M., The virial theorem for action-governed theories 190 (1994) 17
Molina, M.I., see Hennig, D. 190 (1994) 259
Morawetz, K., R. Walke and G. Roepke, Suppression of the effect of collisions due to memory effects 190 (1994) 96
Moreira, I.C., see Lima, A.S. 190 (1994) 403
Mori, J., see Kadena, Y. 190 (1994) 323

Mori, S., see Kawanishi, K. 190 (1994) 439

Neuper, A., Y. Gaididei, N. Flytzanis and F. Mertens, Solitons in atomic chains with long-range interactions 190 (1994) 165
Nieto, M.M., see Daboul, J. 190 (1994) 357

Papachristou, C.J. and B. Kent Harrison, Lax pair, conserved currents, and hidden symmetry transformation for the Ernst equation 190 (1994) 407
Park, T.-Y., see Yu, Z. 190 (1994) 185
Pinto, A.A., see MacKay, R.S. 190 (1994) 412
Platov, K.Yu., see Basler, M. 190 (1994) 489
Popel, S.I. and K. Elsässer, Finite amplitude waves in ion-beam plasma systems 190 (1994) 460
Proto, A.N., see Gruver, J.L. 190 (1994) 363

Qiao, Z., Two new integrable systems in Liouville's sense (Physics Letters A 172 (1993) 224). Erratum 190 (1994) 495
Qiao, Z., A finite-dimensional integrable system and the involutive solutions of the higher-order Heisenberg spin chain equations (Physics Letters A 186 (1994) 97). Erratum 190 (1994) 496

Raab, F., see Gillespie, A. 190 (1994) 213
Ramamohan, T.R., S. Savithri, R. Sreenivasan and C. Chandra Shekara Bhat, Chaotic dynamics of a periodically forced slender body in a simple shear flow 190 (1994) 273
Ramani, A., see Grammaticos, B. 190 (1994) 65
Rangwala, S. and S.M. Roy, Wave behaviour and noncomplementary particle behaviour in the same experiment 190 (1994) 1
Recami, E., see Salesi, G. 190 (1994) 137
Riitano, A.M., see Seyoum, H.M. 190 (1994) 483
Roepke, G., see Morawetz, K. 190 (1994) 96
Römer, R.A. and B. Sutherland, Exact derivation of Luttinger liquid relation in a one-dimensional two-component quantum system with hyperbolic interactions 190 (1994) 295
Roy, S.M., see Rangwala, S. 190 (1994) 1
Rusman, I., see Weinstein, V. 190 (1994) 473

Sah, O.P. and K.S. Goswami, Theory of weak dust acoustic double layers 190 (1994) 317
Salerno, M. and M.R. Samuelsen, Stabilization of chaotic phase locked dynamics in long Josephson junctions 190 (1994) 177
Salesi, G. and E. Recami, Field theory of the spinning electron and internal motions 190 (1994) 137
Samuelsen, M.R., see Salerno, M. 190 (1994) 177
Savithri, S., see Ramamohan, T.R. 190 (1994) 273
Serra, A.M., see Lima, A.S. 190 (1994) 403
Seyoum, H.M., A.M. Riitano, L.H. Bennett and W. Wong-Ng, Evidence suggesting reentrant superconductivity in a multiphase Tl–Ca–Ba–Cu–O system 190 (1994) 483
Shibata, F., see Uchiyama, C. 190 (1994) 469
Šimánek, E., see Duan, J.-M. 190 (1994) 118
Skorik, S. and V. Spiridonov, On the spectra of hyperelliptic potentials 190 (1994) 90
Slutzky, M., see Weinstein, V. 190 (1994) 473
Spiridonov, V., see Skorik, S. 190 (1994) 90
Squires, E.J., Information loss and the Bohm model 190 (1994) 349

Sreenivasan, R., see Ramamohan, T.R. 190 (1994) 273
Stark, J., see MacKay, R.S. 190 (1994) 417
Stebler, B., see Gouda, F. 190 (1994) 345
Sun, X., see Yu, Z. 190 (1994) 185
Sutherland, B., see Römer, R.A. 190 (1994) 295

Takeno, S., see Kitamura, T. 190 (1994) 327
Tan, W., The exact solution to the regular pump model of photon noise reduction in lasers 190 (1994) 13
Tang, X.Z., E.R. Tracy, A.D. Boozer, A. deBrauw and R. Brown, Reconstruction of chaotic signals using symbolic data 190 (1994) 393
Tasev, Z., see Kocarev, L. 190 (1994) 399
Tod, K.P., Self-dual Einstein metrics from the Painlevé VI equation 190 (1994) 221
Toroczkai, Z., Geometric method for stabilizing unstable periodic orbits 190 (1994) 71
Tracy, E.R., see Tang, X.Z. 190 (1994) 393
Tsironis, G.P., see Hennig, D. 190 (1994) 259
Tsytovich, V.N., see Boldyrev, S.A. 190 (1994) 106

Uchiyama, C. and F. Shibata, Rigorous solution to a microscopic laser model – formation of phase coherence 190 (1994) 469
Uglov, D.B., see Korepin, V.E. 190 (1994) 182
Uglov, D.B. and V.E. Korepin, The Yangian symmetry of the Hubbard model 190 (1994) 238
Umeno, K., Galois extensions in Kowalevski exponents and nonintegrability of nonlinear lattices 190 (1994) 85

Van Zeijts, J.B.J., see MacKay, R.S. 190 (1994) 412
Velasco, S., see Güémez, J. 190 (1994) 434
Visinescu, A., Three soliton contribution to the specific heat in sine-Gordon systems 190 (1994) 425
Voitenko, A.I., see Gabovich, A.M. 190 (1994) 191

Wadati, M., see Kawanishi, K. 190 (1994) 439
Walke, R., see Morawetz, K. 190 (1994) 96
Wang, W., G. Xu and D. Fu, Manifestation of destruction of quantum integrability with expectation and uncertainty values of quantum observables 190 (1994) 377
Weinstein, V., E. Glikman, M. Slutzky, I. Rusman, I. Kelson and E. Ben-Jacob, STM detection of imprints left on graphite by nuclear reaction products 190 (1994) 473
West, B.J., see Bianucci, M. 190 (1994) 447
White, R.B., see Bussac, M.N. 190 (1994) 101
Wong-Ng, W., see Seyoum, H.M. 190 (1994) 483

Xing, C.Z., see Meng, H.X. 190 (1994) 455
Xu, G., see Wang, W. 190 (1994) 377

Yang, X.-E., see Zhou, Y.-C. 190 (1994) 123
Yu, Z., X. Sun, T.-Y. Park and C. Hu, The effect of electron correlation on the bond structure of C_{60} 190 (1994) 185

Zakharov, V.E., see Dyachenko, A.I. 190 (1994) 144
Zaslavskii, O.B., Two-dimensional quasi-exactly solvable models with a magnetic field 190 (1994) 373

Zeiler, A., see Fromherz, P. 190 (1994) 33
Zhang, W., see Kong, D. 190 (1994) 155
Zhou, Y.-C., X.-E. Yang and H.-Z. Li, The effect of electron–phonon coupling on persistent currents in one-dimensional mesoscopic rings 190 (1994) 123
Zhu, K.-D. and T. Kobayashi, Magnetic field effects on strong-coupling polarons in quantum dots 190 (1994) 337
Zumbach, G., The local potential approximation of the renormalization group and its applications 190 (1994) 225
Zuppiroli, L., see Bussac, M.N. 190 (1994) 101